

OR

DENOTES TERMINAL BLOCK

SUPER SYSTEMS INC.
(800) 666-4330
www.supersystems.com

1 - 24VDC (COM)	22 - SLAVE 2 RS485 (+)
2 - 24VDC (+)	23 - SLAVE 2 RS485 (-)
3 - RS485 RT (-)	24 - 4-20mA OUT 1 (+)
4 - RS485 RT (+)	25 - 4-20mA OUT 2 (+)
5 - SLAVE 1 RS485 (+)	26 - 4-20mA OUT 2 (-)
6 - SLAVE 1 RS485 (-)	27 - ANALOG IN 3 (+)
7 - RELAY COMMON	28 - ANALOG IN 3 (-)
8 - RELAY OUT 1	29 - ANALOG IN 2 (+)
9 - RELAY OUT 2	30 - ANALOG IN 2 (-)
10 - RELAY OUT 3	31 - ANALOG IN 1 (+)
11 - RELAY OUT 4	32 - ANALOG IN 1 (-)

SERIES 9205 PINDOUT LABEL

REFERENCE DRAWING(S)
THIS DRAWING IS FURNISHED AS A
GUIDELINE ONLY.
FINAL INSTALLATION DIAGRAMS
ARE THE RESPONSIBILITY OF OTHERS.
CONFIDENTIAL


REV.	DESCRIPTION	DRAWN	DATE	APPROVED
A	ECD - 00412	GDG	24 MAR 2017	

SERIES 9205 ATMOSPHERE AND TEMPERATURE CONTROL SYSTEM - RS-485 COMMUNICATIONS TO 5.7" DIT BASIC WIRING DIAGRAM

APPROVALS	DATE	DWG. NO.	REV.
DRAWN	GDG	27 FEB 2014	
CHECKED	CHKD	DATE	CHKD
ISSUED	DATE	ISSUED	SCALE
			1:1

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES FRACTIONS DECIMALS ANGLES X.XX=0.100 ±0.5° X.XXX=0.010 ±1/64" SPECIFICATIONS HEREIN IS STRICTLY PROHIBITED

SSi ELECTRONICS\13487\ SHEET 01 OF 02 CINCINNATI, OHIO



- 140
- 141
- 142
- 143
- 144
- 145
- 146
- 147
- 148
- 149
- 150
- 151
- 152
- 153
- 154
- 155
- 156
- 157
- 158
- 159
- 160
- 161
- 162
- 163
- 164
- 165
- 166
- 167
- 168
- 169
- 170
- 171
- 172
- 173
- 174
- 175
- 176
- 177
- 178
- 179

DIT-143 OPERATOR INTERFACE SSI# - 31297

COMMS TO DPVT-123 (RS-485)

7.4409

5.7" DIT CUTOUT DETAIL

1002 WHT

1001 RED

1002 WHT

1001 RED